Journal of Biomedical Materials Research
Author Index—Volume 56

Abraham, G. See Billiar, K., 101
Adams, A. K. See Moore, M. A., 24
Agee, K. A. See Pashley, D. H., 273
Allemann, F. See Mizuno, S., 368
Alsberg, E. See Lee, K. Y., 228
Anderson, D. J. See Cui, X., 261
Arcís, R. W. See Domingo, C., 297
Aro, H. T. See Itälä, A., 282
Auwarter, J. A. See Viano, A. M., 593
Azevêdo, P. H. S. See Coêlho, R. A. L., 257
Azevedo, W. M. See Coêlho, R. A. L., 257

Bachrach, N. See Billiar, K., 101
Barker, T. H.
—; Fuller, G. M.; Klinger, M. M.; Feldman, D. S.; Hagood, J. S.: Modification of fibrinogen with poly(ethylene glycol) and its effects on fibrin clot characteristics, 529
Barrère, F. See Leeuwenburgh, S., 208
Bashir, R. See Ward, J. H., 351
Bezuidenhout, D. See Zilla, P., 56
Bhati, R. S.
—; Mukherjee, D. P.; McCarthy, K. J.; Rogers, S. H.; Smith, D. F.; Shalaby, S. W.: The growth of chondrocytes into a fibronectin-coated biodegradable scaffold, 74
Bhonde, R. See Risbud, M., 120
Billiar, K.
—; Murray, J.; Laude, D.; Abraham, G.; Bachrach, N.: Effects of carbodiimide crosslinking conditions on the physical properties of laminated intestinal submucosa, 101
Birchall, I. E.
—; Field, P. L.; Ketharanathan, V.: Adherence of human saphenous vein endothelial cell monolayers to tissue-engineered biomatrix vascular conduits, 437
Bourguignon, M. See Ferrari, A., 361
Boyan, B. D. See Schwartz, Z., 417
Brouwer, L. A. See Cadée, J. A., 600
Brown, P. W. See Greish, Y. E., 459
Brunette, D. M. See Perizzolo, D., 494
Bryers, J. D. See Klueh, U., 307

Cadée, J. A.
—; Brouwer, L. A.; den Otter, W.; Hennink, W. E.; van Luyn, M. J. A.: A comparative biocompatibility study of microspheres based on crosslinked dextran or poly(lactic-*co*-glycolic)acid after subcutaneous injection in rats, 600
Cámara, M. See Dexter, S. J., 222
Carvalho, L. B., Jr. See Coêlho, R. A. L., 257
Carvalho, R. M. See Pashley, D. H., 273
Chang, C. K.
—; Wu, J. S.; Mao, D. L.; Ding, C. X.: Mechanical and histological evaluations of hydroxyapatite-coated and noncoated Ti6Al4V implants in tibia bone, 17
Chang, Y.-C. See Hung, W.-S., 93
Chen, J. See Tong, W., 49
—; See Zhang, C., 342
Clarke, I. C. See Yamamoto, K., 65
Cochran, D. L. See Schwartz, Z., 417
Coêlho, R. A. L.
—; Santos, G. M. P.; Azevêdo, P. H. S.; de Assis Jaques, G.; Azevedo, W. M.; Carvalho, L. B., Jr.: Polyaniline–dacron composite as solid phase in enzyme linked immunosorbent assay for *Yersinia pestis* antibody detection, 257
Cordaro, N. M.
—; Szivek, J. A.; DeYoung, D. W.: Surface enhancements accelerate bone bonding to CPC-coated strain gauges, 109
Cui, X.
—; Lee, V. A.; Raphael, Y.; Wiler, J. A.; Hetke, J. F.; Anderson, D. J.; Martin, D. C.: Surface modification of neural recording electrodes with conducting polymer/biomolecule blends, 261

Dalton, B. A.
—; McFarland, G. A.; Steele, J. G.: Stimulation of epithelial tissue migration by certain porous topographies is independent of fluid flux, 83
—; Walboomers, X. F.; Dziegielewski, M.; Evans, M. D. M.; Taylor, S.; Jansen, J. A.; Steele, J. G.: Modulation of epithelial tissue and cell migration by microgrooves, 195
Davies, M. C. See Dexter, S. J., 222
Dean, D. D. See Schwartz, Z., 417
de Assis Jaques, G. See Coêlho, R. A. L., 257
de Bruijn, J. See Leeuwenburgh, S., 208
de Groot, K. See Leeuwenburgh, S., 208
den Otter, W. See Cadée, J. A., 600
Derhami, K.
—; Zheng, J.; Li, L.; Wolfaardt, J. F.; Scott, P. G.: Proteomic analysis of human skin fibroblasts grown on titanium: Novel approach to study molecular biocompatibility, 234
Dexter, S. J.
—; Pearson, R. G.; Davies, M. C.; Cámara, M.; Shakesheff, K. M.: A comparison of the adhesion of mammalian cells and *Staphylococcus epidermidis* on fibronectin-modified polymer surfaces, 222
DeYoung, D. W. See Cordaro, N. M., 109
Ding, C. X. See Chang, C. K., 17
Dixit, P.
—; Hern-Anderson, D.; Ranieri, J.; Schmidt, C. E.: Vascular graft endothelialization: Comparative analysis of canine and human

Journal of Biomedical Materials Research
Author Index—Volume 56

Abraham, G. See Billiar, K., 101
Adams, A. K. See Moore, M. A., 24
Agee, K. A. See Pashley, D. H., 273
Allemann, F. See Mizuno, S., 368
Alsberg, E. See Lee, K. Y., 228
Anderson, D. J. See Cui, X., 261
Arcís, R. W. See Domingo, C., 297
Aro, H. T. See Itälä, A., 282
Auwarter, J. A. See Viano, A. M., 593
Azevêdo, P. H. S. See Coêlho, R. A. L., 257
Azevedo, W. M. See Coêlho, R. A. L., 257

Bachrach, N. See Billiar, K., 101
Barker, T. H.
—; Fuller, G. M.; Klinger, M. M.; Feldman, D. S.; Hagood, J. S.: Modification of fibrinogen with poly(ethylene glycol) and its effects on fibrin clot characteristics, 529
Barrère, F. See Leeuwenburgh, S., 208
Bashir, R. See Ward, J. H., 351
Bezuidenhout, D. See Zilla, P., 56
Bhati, R. S.
—; Mukherjee, D. P.; McCarthy, K. J.; Rogers, S. H.; Smith, D. F.; Shalaby, S. W.: The growth of chondrocytes into a fibronectin-coated biodegradable scaffold, 74
Bhonde, R. See Risbud, M., 120
Billiar, K.
—; Murray, J.; Laude, D.; Abraham, G.; Bachrach, N.: Effects of carbodiimide crosslinking conditions on the physical properties of laminated intestinal submucosa, 101
Birchall, I. E.
—; Field, P. L.; Ketharanathan, V.: Adherence of human saphenous vein endothelial cell monolayers to tissue-engineered biomatrix vascular conduits, 437
Bourguignon, M. See Ferrari, A., 361
Boyan, B. D. See Schwartz, Z., 417
Brouwer, L. A. See Cadée, J. A., 600
Brown, P. W. See Greish, Y. E., 459
Brunette, D. M. See Perizzolo, D., 494
Bryers, J. D. See Klueh, U., 307

Cadée, J. A.
—; Brouwer, L. A.; den Otter, W.; Hennink, W. E.; van Luyn, M. J. A.: A comparative biocompatibility study of microspheres based on crosslinked dextran or poly(lactic-*co*-glycolic)acid after subcutaneous injection in rats, 600
Cámara, M. See Dexter, S. J., 222
Carvalho, L. B., Jr. See Coêlho, R. A. L., 257
Carvalho, R. M. See Pashley, D. H., 273
Chang, C. K.
—; Wu, J. S.; Mao, D. L.; Ding, C. X.: Mechanical and histological evaluations of hydroxyapatite-coated and noncoated Ti6Al4V implants in tibia bone, 17
Chang, Y.-C. See Hung, W.-S., 93
Chen, J. See Tong, W., 49
—; See Zhang, C., 342
Clarke, I. C. See Yamamoto, K., 65
Cochran, D. L. See Schwartz, Z., 417
Coêlho, R. A. L.
—; Santos, G. M. P.; Azevêdo, P. H. S.; de Assis Jaques, G.; Azevedo, W. M.; Carvalho, L. B., Jr.: Polyaniline–dacron composite as solid phase in enzyme linked immunosorbent assay for *Yersinia pestis* antibody detection, 257
Cordaro, N. M.
—; Szivek, J. A.; DeYoung, D. W.: Surface enhancements accelerate bone bonding to CPC-coated strain gauges, 109
Cui, X.
—; Lee, V. A.; Raphael, Y.; Wiler, J. A.; Hetke, J. F.; Anderson, D. J.; Martin, D. C.: Surface modification of neural recording electrodes with conducting polymer/biomolecule blends, 261

Dalton, B. A.
—; McFarland, G. A.; Steele, J. G.: Stimulation of epithelial tissue migration by certain porous topographies is independent of fluid flux, 83
—; Walboomers, X. F.; Dziegielewski, M.; Evans, M. D. M.; Taylor, S.; Jansen, J. A.; Steele, J. G.: Modulation of epithelial tissue and cell migration by microgrooves, 195
Davies, M. C. See Dexter, S. J., 222
Dean, D. D. See Schwartz, Z., 417
de Assis Jaques, G. See Coêlho, R. A. L., 257
de Bruijn, J. See Leeuwenburgh, S., 208
de Groot, K. See Leeuwenburgh, S., 208
den Otter, W. See Cadée, J. A., 600
Derhami, K.
—; Zheng, J.; Li, L.; Wolfaardt, J. F.; Scott, P. G.: Proteomic analysis of human skin fibroblasts grown on titanium: Novel approach to study molecular biocompatibility, 234
Dexter, S. J.
—; Pearson, R. G.; Davies, M. C.; Cámara, M.; Shakesheff, K. M.: A comparison of the adhesion of mammalian cells and *Staphylococcus epidermidis* on fibronectin-modified polymer surfaces, 222
DeYoung, D. W. See Cordaro, N. M., 109
Ding, C. X. See Chang, C. K., 17
Dixit, P.
—; Hern-Anderson, D.; Ranieri, J.; Schmidt, C. E.: Vascular graft endothelialization: Comparative analysis of canine and human

endothelial cell migration on natural biomaterials, 545
Domingo, C.
—; Arcís, R. W.; López-Macipe, A.; Osorio, R.; Rodríguez-Clemente, R.; Murtra, J.; Fanovich, M. A.; Toledano, M.: Dental composites reinforced with hydroxyapatite: Mechanical behavior and absorption/elution characteristics, 297
Dörfer, C. E. See Pioch, T., 578
Dunlop, D. G. See Griffon, D. J., 444
Dupuy, F. P.
—; Savoldelli, M.; Robert, A. M.; Robert, L.; Legeais, J. M.; Renard, G.: Chemotactic penetration of keratocytes in ePTFE polymer *in vitro*, 487
Dziegielewski, M. See Dalton, B. A., 195

Endres, M. See Risbud, M., 120
Eurell, T. See Zhu, B., 406
Evans, M. D. M.
—; McFarland, G. A.; Taylor, S.; Johnson, G.; McLean, K. M.: The architecture of a collagen coating on a synthetic polymer influences epithelial adhesion, 461
—; See Dalton, B. A., 195

Fang, C.-L. See Hung, W.-S., 93
Fanovich, M. A. See Domingo, C., 297
Feijen, J. See Imbert, E., 376
Feldman, D. S. See Barker, T. H., 529
Feng, J. See Tong, W., 49
Ferrari, A.
—; Hannouche, D.; Oudina, K.; Bourguignon, M.; Meunier, A.; Sedel, L.; Petite, H.: *In vivo* tracking of bone marrow fibroblasts with fluorescent carbocyanine dye, 361
Field, P. L. See Birchall, I. E., 437
Figdor, C. G. See Imbert, E., 376
Fujibayashi, S.
—; Nakamura, T.; Nishiguchi, S.; Tamura, J.; Uchida, M.; Kim, H.-M.; Kokubo, T.: Bioactive titanium: Effect of sodium removal on the bone-bonding ability of bioactive titanium prepared by alkali and heat treatment, 562
Fujikawa, K. See Ishihara, M., 536
Fuller, G. M. See Barker, T. H., 529
Furuzono, T.
—; Sonoda, K.; Tanaka, J.: A hydroxyapatite coating covalently linked onto a silicone implant material, 9

Gilbert, J. L. See Goldberg, S. R., 184
Gilchrist, T. J. See Griffon, D. J., 444
Glowacki, J. See Mizuno, S., 368
Goldberg, S. R.
—; Gilbert, J. L.: Transient electric fields induced by mechanically assisted corrosion of Ti-6Al-4V, 184
Gomez-Vega, J. M.
—; Hozumi, A.; Saiz, E.; Tomsia, A. P.; Sugimura, H.; Takai, O.: Bioactive glass–mesoporous silica coatings on Ti6Al4V through enameling and triblock-copolymer-templated sol-gel processing, 382
Good, V. D. See Yamamoto, K., 65
Goralnick, S. See Klueh, U., 307
Greish, Y. E.
—; Brown, P. W.: Erratum: Characterization of wollastonite-reinforced HAp–Ca polycarboxylate composites, 459
Griffon, D. J.
—; Dunlop, D. G.; Howie, C. R.; Pratt, J. N. J.; Gilchrist, T. J.; Smith, N.: An ovine model to evaluate the biologic properties of impacted morselized bone graft substitutes, 444
Grynpas, M. D. See Porter, N. L., 504
Gunawan, R. See Zhu, B., 406

Hagood, J. S. See Barker, T. H., 529
Hallab, N. J.
—; Mikecz, K.; Vermes, C.; Skipor, A.; Jacobs, J. J.: Differential lymphocyte reactivity to serum-derived metal–protein complexes produced from cobalt-based and titanium-based implant alloy degradation, 427
Hamilton, D. M. See Jacob, R. J., 168
Hannouche, D. See Ferrari, A., 361
Harmon, F. J. See Pashley, D. H., 273
Harris, W. H. See Muratoglu, O. K., 584
Hattori, H. See Ishihara, M., 536
Hennink, W. E. See Cadée, J. A., 600
Hern-Anderson, D. See Dixit, P., 545
Hernandez, D. J. See Koob, T. J., 31
—; See Koob, T. J., 40
Hetke, J. F. See Cui, X., 261
Higgins, J. See Jacob, R. J., 168
Hirano, S.
—; Zhang, M.; Nakagawa, M.: Release of glycosaminoglycans in physiological saline and water by wet-spun chitin–acid glycosaminoglycan fibers, 556
Hirashima, Y.
—; Ishiguro, N.; Kondo, S.; Iwata, H.: Osteoclast induction from bone marrow cells is due to pro-inflammatory mediators from macrophages exposed to polyethylene particles: A possible mechanism of osteolysis in failed THA, 177
Hoffmeister, B. K. See Viano, A. M., 593
Howie, C. R. See Griffon, D. J., 444
Hozumi, A. See Gomez-Vega, J. M., 382
Human, P. See Zilla, P., 56
Hung, W.-S.
—; Fang, C.-L.; Su, C.-H.; Lai, W.-F. T.; Chang, Y.-C.; Tsai, Y.-H.: Cytotoxicity and immunogenicity of SACCHACHITIN and its mechanism of action on skin wound healing, 93
Hupa, M. See Itälä, A., 282
Huseinbegović, A. See Pioch, T., 578
Hyon, S.-H. See Nakamura, T., 289

Imakiire, A. See Yamamoto, K., 65
Imbert, E.
—; Poot, A. A.; Figdor, C. G.; Feijen, J.: Expression of leukocyte adhesion molecules by endothelial cells seeded on various polymer surfaces, 376
Inoue, M. See Nakamura, T., 289
Ishiguro, N. See Hirashima, Y., 177
Ishihara, M.
—; Sato, M.; Hattori, H.; Saito, Y.; Yura, H.; Ono, K.; Masuoka, K.; Kikuchi, M.; Fujikawa, K.; Kurita, A.: Heparin-carrying polystyrene (HCPS)-bound collagen substratum to immobilize heparin-binding growth factors and to enhance cellular growth, 536
Itälä, A.
—; Nordström, E. G.; Ylänen, H.; Aro, H. T.; Hupa, M.: Creation of microrough surface on sintered bioactive glass microspheres, 282
Iwata, H. See Hirashima, Y., 177

Jacob, R. J.
—; Pienkowski, D.; Lee, K.-Y.; Hamilton, D. M.; Schroeder, D.; Higgins, J.: Time- and depth-dependent changes in crosslinking and oxidation of shelf-aged polyethylene acetabular liners, 168

Jacobs, J. J. See Hallab, N. J., 427
Jani, S. See Niedzwiecki, S., 245
Jansen, J. A. See Dalton, B. A., 195
Jayabalan, M. See Thomas, V., 144
Johnson, G. See Evans, M. D. M., 461

Kage, T. See Schliephake, H., 128
Kang, E. T. See Zhang, F., 324
Ketharanathan, V. See Birchall, I. E., 437
Kettunen, J.
—; Mäkelä, A.; Miettinen, H.; Nevalainen, T.; Pohjonen, T.; Suokas, E.; Rokkanen, P.: The fixation properties of carbon fiber-reinforced liquid crystalline polymer implant in bone: An experimental study in rabbits, 137
Kikuchi, M. See Ishihara, M., 536
Kim, H.-M.
—; Kim, Y.-S.; Woo, K.-M.; Park, S.-J.; Rey, C.; Kim, Y.; Kim, J.-K.; Ko, J. S.: Dissolution of poorly crystalline apatite crystals by osteoclasts determined on artificial thin-film apatite, 250
—; See Fujibayashi, S., 562
Kim, J.-K. See Kim, H.-M., 250
Kim, Y. See Kim, H.-M., 250
Kim, Y.-S. See Kim, H.-M., 250
Kitamura, Y. See Shinzato, S., 452
—; See Shinzato, S., 571
Kiyotani, T. See Nakamura, T., 289
Klapperich, C. See Niedzwiecki, S., 245
Klinger, M. M. See Barker, T. H., 529
Klueh, U.
—; Goralnick, S.; Bryers, J. D.; Kreutzer, D. L.: Binding and orientation of fibronectin on surfaces with collagen-related peptides, 307
Ko, J. S. See Kim, H.-M., 250
Kobašlija, S. See Pioch, T., 578
Kokubo, T. See Shinzato, S., 452
—; See Fujibayashi, S., 562
—; See Shinzato, S., 571
Kondo, S. See Hirashima, Y., 177
Koob, T. J.
—; Willis, T. A.; Hernandez, D. J.: Biocompatibility of NDGA-polymerized collagen fibers. I. Evaluation of cytotoxicity with tendon fibroblasts *in vitro*, 31
—; Willis, T. A.; Qiu, Y. S.; Hernandez, D. J.: Biocompatibility of NDGA-polymerized collagen fibers. II. Attachment, proliferation, and migration of tendon fibroblasts *in vitro*, 40
Kreutzer, D. L. See Klueh, U., 307
Kurita, A. See Ishihara, M., 536

Labow, R. S. See Tang, Y. W., 516
Lacefield, W. R. See Perizzolo, D., 494
Lai, W.-F. T. See Hung, W.-S., 93
Laude, D. See Billiar, K., 101
Layrolle, P. See Leeuwenburgh, S., 208
Leckband, D. See Zhu, B., 406
Lee, K. Y.
—; Alsberg, E.; Mooney, D. J.: Degradable and injectable poly(aldehyde guluronate) hydrogels for bone tissue engineering, 228
Lee, K.-Y. See Jacob, R. J., 168
Lee, V. A. See Cui, X., 261
Lee, W.-K. See Pashley, D. H., 273
Leeuwenburgh, S.
—; Layrolle, P.; Barrère, F.; de Bruijn, J.; Schoonman, J.; van Blitterswijk, C.; de Groot, K.: Osteoclastic resorption of biomimetic calcium phosphate coatings *in vitro*, 208
Legeais, J. M. See Dupuy, F. P., 487
Leng, Y. See Zhang, C., 342
Li, L. See Derhami, K., 234
Li, X. See Tong, W., 49
Li, Y.-H. See Nakamura, T., 289
Lohmann, C. H. See Schwartz, Z., 417
López-Macipe, A. See Domingo, C., 297
Lovekamp, J.
—; Vyavahare, N.: Periodate-mediated glycosaminoglycan stabilization in bioprosthetic heart valves, 478

Ma, P. X.
—; Zhang, R.: Microtubular architecture of biodegradable polymer scaffolds, 469
Mäkelä, A. See Kettunen, J., 137
Mao, D. L. See Chang, C. K., 17
Marchant, D. See Narayan, P., 333
Marchant, R. E. See Ruegsegger, M. A., 159
Martin, D. C. See Cui, X., 261
Masaoka, T. See Yamamoto, K., 65
Massia, S. P.
—; Stark, J.: Immobilized RGD peptides on surface-grafted dextran promote biospecific cell attachment, 390
Masuoka, K. See Ishihara, M., 536
Matsumoto, K. See Nakamura, T., 289
McCarthy, K. J. See Bhati, R. S., 74
McFarland, G. A. See Dalton, B. A., 83
—; See Evans, M. D. M., 461
McLean, K. M. See Evans, M. D. M., 461
Meunier, A. See Ferrari, A., 361
Miettinen, H. See Kettunen, J., 137
Mikecz, K. See Hallab, N. J., 427
Mizuno, S.
—; Allemann, F.; Glowacki, J.: Effects of medium perfusion on matrix production by bovine chondrocytes in three-dimensional collagen sponges, 368
Mizushima, Y. See Tanihara, M., 216
Mooney, D. J. See Lee, K. Y., 228
Moore, M. A.
—; Adams, A. K.: Calcification resistance, biostability, and low immunogenic potential of porcine heart valves modified by dye-mediated photooxidation, 24
Mukherjee, D. P. See Bhati, R. S., 74
Müller, K. See Pioch, T., 578
Muratoglu, O. K.
—; Harris, W. H.: Identification and quantification of irradiation in UHMWPE through *trans*-vinylene yield, 584
Murray, J. See Billiar, K., 101
Murtra, J. See Domingo, C., 297

Nakagawa, M. See Hirano, S., 556
Nakajima, M. See Pashley, D. H., 273
Nakamura, T.
—; Ueda, H.; Tsuda, T.; Li, Y.-H.; Kiyotani, T.; Inoue, M.; Matsumoto, K.; Sekine, T.; Yu, L.; Hyon, S.-H.; Shimizu, Y.: Long-term implantation test and tumorigenicity of polyvinyl alcohol hydrogel plates, 289
—; See Shinzato, S., 452
—; See Fujibayashi, S., 562
—; See Shinzato, S., 571
Narayan, P.
—; Marchant, D.; Wheatley, M. A.: Optimization of spray drying by factorial design for production of hollow microspheres for ultrasound imaging, 333
Neoh, K. G. See Zhang, F., 324
Nevalainen, T. See Kettunen, J., 137
Niedzwiecki, S.
—; Klapperich, C.; Short, J.; Jani, S.; Ries, M.; Pruitt, L.: Comparison of three joint simulator wear debris isolation techniques: Acid digestion, base digestion, and enzyme cleavage, 245
Nishiguchi, S. See Fujibayashi, S., 562
Noguchi, A. See Tanihara, M., 216
Nordström, E. G. See Itälä, A., 282

Oka, M. See Yoshii, S., 400
Ono, K. See Ishihara, M., 536

Oonishi, H. See Yamamoto, K., 65
Osorio, R. See Domingo, C., 297
Oudina, K. See Ferrari, A., 361

Park, S.-J. See Kim, H.-M., 250
Pashley, D. H.
—; Agee, K. A.; Nakajima, M.; Tay, F. R.; Carvalho, R. M.; Terada, R. S. S.; Harmon, F. J.; Lee, W.-K.; Rueggeberg, F. A.: Solvent-induced dimensional changes in EDTA-demineralized dentin matrix, 273
Pearson, R. G. See Dexter, S. J., 222
Peppas, N. A. See Ward, J. H., 351
Perizzolo, D.
—; Lacefield, W. R.; Brunette, D. M.: Interaction between topography and coating in the formation of bone nodules in culture for hydroxyapatite- and titanium-coated micromachined surfaces, 494
Petite, H. See Ferrari, A., 361
Pienkowski, D. See Jacob, R. J., 168
Pilliar, R. M. See Porter, N. L., 504
Pioch, T.
—; Kobašlija, S.; Huseinbegović, A.; Müller, K.; Dörfer, C. E.: The effect of NaOCl dentin treatment on nanoleakage formation, 578
Pohjonen, T. See Kettunen, J., 137
Poot, A. A. See Imbert, E., 376
Porter, N. L.
—; Pilliar, R. M.; Grynpas, M. D.: Fabrication of porous calcium polyphosphate implants by solid freeform fabrication: A study of processing parameters and *in vitro* degradation characteristics, 504
Pratt, J. N. J. See Griffon, D. J., 444
Pruitt, L. See Niedzwiecki, S., 245

Qiu, Y. S. See Koob, T. J., 40

Ranieri, J. See Dixit, P., 545
Raphael, Y. See Cui, X., 261
Renard, G. See Dupuy, F. P., 487
Rey, C. See Kim, H.-M., 250
Rho, J. Y. See Viano, A. M., 593
Ries, M. See Niedzwiecki, S., 245
Ringe, J. See Risbud, M., 120
Risbud, M.
—; Endres, M.; Ringe, J.; Bhonde, R.; Sittinger, M.: Biocompatible hydrogel supports the growth of respiratory epithelial cells: Possibilities in tracheal tissue engineering, 120
Robert, A. M. See Dupuy, F. P., 487
Robert, L. See Dupuy, F. P., 487
Rodríguez-Clemente, R. See Domingo, C., 297
Rogers, S. H. See Bhati, R. S., 74
Rokkanen, P. See Kettunen, J., 137
Rueggeberg, F. A. See Pashley, D. H., 273
Ruegsegger, M. A.
—; Marchant, R. E.: Reduced protein adsorption and platelet adhesion by controlled variation of oligomaltose surfactant polymer coatings, 159

Saito, Y. See Ishihara, M., 536
Saiz, E. See Gomez-Vega, J. M., 382
Santerre, J. P. See Tang, Y. W., 516
Santos, G. M. P. See Coëlho, R. A. L., 257
Sato, M. See Ishihara, M., 536
Savoldelli, M. See Dupuy, F. P., 487
Schliephake, H.
—; Kage, T.: Enhancement of bone regeneration using resorbable ceramics and a polymer–ceramic composite material, 128
Schmidt, C. E. See Dixit, P., 545
Schoonman, J. See Leeuwenburgh, S., 208
Schroeder, D. See Jacob, R. J., 168
Schwartz, Z.
—; Lohmann, C. H.; Vocke, A. K.; Sylvia, V. L.; Cochran, D. L.; Dean, D. D.; Boyan, B. D.: Osteoblast response to titanium surface roughness and $1\alpha,25\text{-}(OH)_2D_3$ is mediated through the mitogen-activated protein kinase (MAPK) pathway, 417
Scott, P. G. See Derhami, K., 234
Sedel, L. See Ferrari, A., 361
Sekine, T. See Nakamura, T., 289
Shakesheff, K. M. See Dexter, S. J., 222
Shalaby, S. W. See Bhati, R. S., 74
Shimizu, Y. See Nakamura, T., 289
Shinzato, S.
—; Nakamura, T.; Kokubo, T.; Kitamura, Y.: Bioactive bone cement: Effect of filler size on mechanical properties and osteoconductivity, 452
—; Nakamura, T.; Tamura, J.; Kokubo, T.; Kitamura, Y.: Bioactive bone cement: Effects of phosphoric ester monomer on mechanical properties and osteoconductivity, 571
Short, J. See Niedzwiecki, S., 245
Sittinger, M. See Risbud, M., 120
Skipor, A. See Hallab, N. J., 427
Smith, D. F. See Bhati, R. S., 74
Smith, N. See Griffon, D. J., 444
Sonoda, K. See Furuzono, T., 9
Stark, J. See Massia, S. P., 390
Steele, J. G. See Dalton, B. A., 83
—; See Dalton, B. A., 195
Su, C.-H. See Hung, W.-S., 93
Sugimura, H. See Gomez-Vega, J. M., 382
Suokas, E. See Kettunen, J., 137
Suzuki, Y. See Tanihara, M., 216
Sylvia, V. L. See Schwartz, Z., 417
Szivek, J. A. See Cordaro, N. M., 109

Takai, O. See Gomez-Vega, J. M., 382
Tamura, J. See Fujibayashi, S., 562
—; See Shinzato, S., 571
Tan, K. L. See Zhang, F., 324
Tanaka, J. See Furuzono, T., 9
Tang, Y. W.
—; Labow, R. S.; Santerre, J. P.: Enzyme-induced biodegradation of polycarbonate polyurethanes: Dependence on hard-segment concentration, 516
Tanihara, M.
—; Suzuki, Y.; Yamamoto, E.; Noguchi, A.; Mizushima, Y.: Sustained release of basic fibroblast growth factor and angiogenesis in a novel covalently crosslinked gel of heparin and alginate, 216
Tay, F. R. See Pashley, D. H., 273
Taylor, S. See Dalton, B. A., 195
—; See Evans, M. D. M., 461
Terada, R. S. S. See Pashley, D. H., 273
Thomas, V.
—; Jayabalan, M.: Studies on the effect of virtual crosslinking on the hydrolytic stability of novel aliphatic polyurethane ureas for blood contact applications, 144
Toledano, M. See Domingo, C., 297
Tomsia, A. P. See Gomez-Vega, J. M., 382
Tong, W.
—; Li, X.; Feng, J.; Chen, J.; Zhang, X.: Phase transitions of hydroxyapatite coatings during post-heat treatment and their performances under ultrasonic tests, 49
Tsai, Y.-H. See Hung, W.-S., 93
Tsuda, T. See Nakamura, T., 289

Uchida, M. See Fujibayashi, S., 562
Ueda, H. See Nakamura, T., 289

van Blitterswijk, C. A. See Leeuwenburgh, S., 208
van der Walt, A. See Zilla, P., 56
van Luyn, M. J. A. See Cadée, J. A., 600
Vermes, C. See Hallab, N. J., 427
Viano, A. M.
—; Auwarter, J. A.; Rho, J. Y.; Hoffmeister, B. K.: Ultrasonic characterization of the curing process of hydroxyapatite-modified bone cement, 593
Vocke, A. K. See Schwartz, Z., 417
Vyavahare, N. See Lovekamp, J., 478

Walboomers, X. F. See Dalton, B. A., 195
Wang, P. See Zhang, F., 324
Ward, J. H.
—; Bashir, R.; Peppas, N. A.: Micropatterning of biomedical polymer surfaces by novel UV polymerization techniques, 351
Weber, N.
—; Wendel, H. P.; Ziemer, G.: Gene monitoring of surface-activated monocytes in circulating whole blood using duplex RT-PCR, 1
Weissenstein, C. See Zilla, P., 56
Wendel, H. P. See Weber, N., 1
Wheatley, M. A. See Narayan, P., 333
Wiler, J. A. See Cui, X., 261
Williams, P. A. See Yamamoto, K., 65
Willis, T. A. See Koob, T. J., 31
—; See Koob, T. J., 40
Wolfaardt, J. F. See Derhami, K., 234
Woo, K.-M. See Kim, H.-M., 250
Wu, J. S. See Chang, C. K., 17

Yamamoto, E. See Tanihara, M., 216
Yamamoto, K.
—; Clarke, I. C.; Masaoka, T.; Oonishi, H.; Williams, P. A.; Good, V. D.; Imakiire, A.: Microwear phenomena of ultrahigh molecular weight polyethylene cups and debris morphology related to γ radiation dose in simulator study, 65
Ylänen, H. See Itälä, A., 282
Yoshii, S.
—; Oka, M.: Collagen filaments as a scaffold for nerve regeneration, 400
Yu, L. See Nakamura, T., 289
Yura, H. See Ishihara, M., 536

Zhang, C.
—; Leng, Y.; Chen, J.: *In vitro* mechanical integrity of hydroxyapatite coatings on Ti-6Al-4V implants under shear loading, 342
Zhang, F.
—; Kang, E. T.; Neoh, K. G.; Wang, P.; Tan, K. L.: Modification of Si(100) surface by the grafting of poly(ethylene glycol) for reduction in protein adsorption and platelet adhesion, 324
Zhang, M. See Hirano, S., 556
Zhang, R. See Ma, P. X., 469
Zhang, X. See Tong, W., 49
Zheng, J. See Derhami, K., 234
Zhu, B.
—; Eurell, T.; Gunawan, R.; Leckband, D.: Chain-length dependence of the protein and cell resistance of oligo(ethylene glycol)-terminated self-assembled monolayers on gold, 406
Ziemer, G. See Weber, N., 1
Zilla, P.
—; Bezuidenhout, D.; Weissenstein, C.; van der Walt, A.; Human, P.: Diamine extension of glutaraldehyde crosslinks mitigates bioprosthetic aortic wall calcification in the sheep model, 56

Journal of Biomedical Materials Research
Subject Index—Volume 56

Acid digestion, 245
Acid glycosaminoglycan releasing, 556
Actin cytoskeleton, 195
Adhesion proteins, 545
Alginate, 216
Aliphatic polyurethane urea, 144
Anchoring fibril, 461
Angiogenesis, 93, 216
Animal experiment, 562
Animal models, 444
Antifibronectin antibodies, 307
Apatite, 208, 382
Apatite- and wollastonite- containing glass-ceramic (AW-GC), 571
Artificial skin, 556
Atomic force microscopy, 282

Bacteria, 222
Basal lamina, 461
bFGF, 216
Bioactive, 571
Bioactive glass, 282, 452
Bioactive glass–ceramics, 128
Bioactivity, 382, 562
Bioadhesives, 273
Biocompatibility, 427, 487, 600
Biocompatible, 120
Biodegradable, 600
Biodegradable implants, 504
Biodegradable polymer, 333
Biodegradable polymer scaffold, 74
Biodegradation, 516
Biomatrix, 437
Biomimetic, 159, 208
Bioprostheses, 478
Bioprosthesis, 40
Bioreactivity, 427
Biospecific cell adhesion, 390
Bis-GMA, 297
Bonding strength, 137
Bone, 469
Bone cement, 593
Bone defect, 444
Bone formation, 128, 494
Bone marrow cell, 177
Bone-tissue engineering, 228
Broadband attenuation, 593

Calcification, 24, 56, 478
Calcium phosphate, 208
Calcium phosphate ceramics, 109
Calcium polyphosphate, 504
Carbocyanines, 361
Carbon fiber, 137
Cell adhesion, 222, 234, 536
Cell attachment, 261
Cell growth, 536
Chemistry, 494
Chemoattractants, 487
Chemotactic effect, 93
Chitin–acid glycosaminoglycan fibers, 556
Chitosan, 120
Chondrocyte, 368
Chondrocyte cell culture, 74
Chondroitin sulfate, 556
Co-culture, 177
Coating, 49
Collagen, 24, 101, 400
Collagen-related peptides, 307
Collagen type I, 461
Composite materials, 137
Conducting polymers, 261
Cornea, 461
Corrosion, 184
Coupling agent, 297
Covalent linkage, 9
Crack initiation mechanism, 342
Crosslink density, 56
Crosslinked gel, 216
Crosslinked polyethylene, 65
Crosslinking, 24, 101, 168, 584
Curing process, 593
Cytokines, 1
Cytotoxicity, 31

Degradation, 228
Demineralized dentin, 273
Dentin bonding, 578
Dextran, 600
Diamine extension, 56
Differentiation, 417
Disintegration of coating, 49
Drug delivery, 529
Duplex RT-PCR, 1
Dynamic culture condition, 74

Endothelial cell culture, 437
Endothelial cell migration, 545
Endothelial cells, 109, 376
Engineered biomaterials, 390
Enhanced migration, 83
Enzyme cleavage, 245
Enzyme linked immunosorbent assay, 257
Enzymes, 516
Epithelial cells, 120
Epithelial tissue, 83, 195
Esterase, 516
Expanded polytetrafluoroethylene artificial cornea, 487

Factorial design, 333
Femur, 137
Fibrin glue, 529
Fibrinogen, 529
Fibroblast, 222
Fibroblasts, 31, 40, 234
Fibronectin, 222, 307
Fibronectin coating, 74
Filament, 400
Filler size, 452
Flow cytometry, 376
Fluid flux, 83
Fluorescent dyes, 361
Foreign body sarcoma, 289

Gamma and e-beam irradiation, 584
Gelatin, 120
Glass, 571
Glass coating, 382
Glutaraldehyde crosslinking, 56
Glycocalyx, 159
Glycosaminoglycan, 478
Grafting, 324
Granulation tissue, 93
Growth factor, 536
Growth factors, 545
Guide, 400
Guided migration, 195

hsp70, 1
Hard segments, 516
Heart valves, 24
Heat treatment, 49
Hemidesmosome, 461
Hemocompatibility, 1

Heparin, 216, 536, 556
Heparin-carrying polystyrene, 536
Heparin coating, 1
Hip simulator, 65
Histological evaluation, 17
Hyaluronate, 556
Hydrogel, 228, 289, 600
Hydrogen bonding, 516
Hydrolytic stability, 144
Hydrophobic, 144
Hydroxyapatite, 9, 49, 297, 593
Hydroxyapatite coating, 17, 342

Image analysis, 245
Immobilized dextran, 390
Immune response, 427
Immunofluorescence microscopy, 376
Impaction grafting, 444
Implant, 137
Inflammation, 56
Inflammatory effect, 93
Inhibition of migration, 195
Iniferter, 351
Injectable, 228
Interaction, 494
Interleukin-6 (IL-6), 177
in vitro degradation, 504

Keratocytes, 487

Leukocyte adhesion molecules, 376
"Living" radical polymerization, 351
Local factor, 417
Lymphocyte, 427

Malignant fibrous histiocytoma, 289
Matrix, 469
Maturation, 250
Mechanical integrity, 342
Mechanical properties, 101, 297, 452, 504
Mechanical property, 17
Mesenchymal stem cells, 361
Mesoporous silica, 382
Metal protein complex, 427
Microenvironment, 494
Microgrooves, 195
Micropatterning, 351
Microphase structure, 516
Microroughness, 282
Microspheres, 282, 600
Microstructure, 49
Mitogen-activated protein kinase (MAPK), 417
Model primers, 273
Morphology, 168
Morselized grafts, 444
Multilayer composite, 101

NaOCl, 578
NDGA, 31, 40
Nanoleakage, 578
Natural biomaterials, 545
Nerve, 400
Neural microelectrode, 261

$1\alpha,25\text{-}(OH)_2D_3$, 417
Octacalcium phosphate, 208
Oligo(ethylene glycol), 406
Oligosaccharide, 159
Orientation, 307
Osteoblasts, 417
Osteoclast, 177
Osteoclastic resorption, 208
Osteoclasts, 250
Osteoconductivity, 452, 571
Osteogenic protein-1, 109
Osteolysis, 177
Oxidation, 168
Oxide, 184

Particle, 9
Perfusion, 368
pH, 250
Phase transition, 49
Photodynamic, 24
Plague, 257
Plasma, 324
Plasma spraying, 17
Platelet adhesion, 324
Poly(aldehyde guluronate), 228
Poly(ethylene glycol), 351, 406, 529
Poly(ethylene glycol) methacrylate (PEGMA), 324
Poly(methyl methacrylate) (PMMA), 452
Polyaniline, 257
Polyethylene, 168
Polyethylene particle, 177
Polymer microspheres, 333
Polymer surfaces, 376
Polymerization, 31, 40
Polymers, 128
Polymethyl methacrylate (PMMA), 571
Polyurethanes, 516
Polyvinyl alcohol, 289
Poorly crystalline calcium phosphate crystals, 250
Pores, 83
Porous, 469
Protein adsorption, 159, 324
Protein modification, 529
Protein resistance, 406

Radiation dose, 584
Rat, 289
Regeneration, 400, 469
Repair biomaterial, 101
Resorbable ceramics, 128

SACCHACHITIN, 93
SEM, 578
SEM observation, 17
Scaffold, 469
Scanning electron microcroscopy, 65
Scanning electron microscopy, 282
Scar formation, 93
Scratch, 184
Self-assembled monolayer, 406
Shear loading, 342
Si(100), 324
Silicone, 9
Sodium ion, 562
Sodium metaperiodate, 478
Solid freeform fabrication, 504
Solubility parameters, 273
Spray drying, 333
Strain gauge, 109
Surface modification, 9, 261, 390
Surface roughness, 417
Surface topography, 83
Surface treatment, 562
Surfactant polymer, 159

2-dimensional gel electrophoresis, 234
3D collagen sponge, 368
Tendon, 31, 40
Thin film, 250
Ti-6Al-4V implant, 342
Ti6Al4V implant, 17
Tissue engineering, 74, 361, 368, 437, 469
Tissue engineering scaffold, 222
Titanium, 184, 234, 417, 562
Topography, 494
Total hip arthroplasty, 65
Tracheal prosthesis, 120
Transforming growth factor β-1, 109
Transient fields, 184
Transplantation, 361
Trans-vinylene unsaturation, 584
Triblock copolymer, 382
Tube, 469
Tubule, 469
Tumor necrosis factor-alpha (TNF-α), 177
Tumorigenicity, 289

UHMWPE, 584
Ultrasonic velocity, 593
Ultrasound, 593
Ultrasound contrast agents, 333

Vascular prosthesis, 437
Virtual crosslinking, 144

Water aging, 297
Wear, 168
Wear debris, 65
Wear debris isolation, 245
Wound-dressing material, 556
Wound healing, 93

X-ray photoelectron spectroscopy (XPS), 324

Yersinia pestis, 257